

Printing date 08/14/2019

Reviewed on 08/14/2019

- **1 Identification**
- · Product identifier
- Trade name: <u>MADCHEM® MC SPOT GONE</u>
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: OHIOINKSUPPLY.COM 195 Potomac Ave Tallmadge, OH 44278 Tel : 877-885-OHIO (6446) www.ohioinksupply.com
- · Information department: Product safety department
- Emergency telephone number: INFOTRAC 1-800-535-5053
- · Additional Information

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal

2 Hazard(s) identification

<u>(1)</u>		
· Classificatio	on of the subst	ance or mixture
G	HS08 Health	hazard
Carc. 2	H351	Suspected of causing cancer.
STOT RE 2	<i>H373</i>	May cause damage to organs through prolonged or repeated exposure.
G	HS07	
Acute Tox. 4	H302	Harmful if swallowed.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	Н335-Н336	May cause respiratory irritation. May cause drowsiness or dizziness.
· Label eleme · GHS label e · Hazard picte	lements The p	product is classified and labeled according to the Globally Harmonized System (GHS).
· GHS label e	lements The p	product is classified and labeled according to the Globally Harmonized System (GHS).
GHS label e Hazard picto	lements The p	product is classified and labeled according to the Globally Harmonized System (GHS).
GHS label e Hazard picto GHS07	lements The pograms	product is classified and labeled according to the Globally Harmonized System (GHS).
 GHS label e Hazard picte GHS07 Signal word 	lements The p ograms GHS08 Warning ermining comp hane	product is classified and labeled according to the Globally Harmonized System (GHS).

Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

(Contd. of page 1) · Hazard statements H302 Harmful if swallowed. Causes skin irritation. H315 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P330 Rinse mouth. P302+P352 If on skin: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P321 Specific treatment (see on this label). P314 Get medical advice/attention if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. P333+P313 If eye irritation persists: Get medical advice/attention. *P337+P313* P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	us components:	nents:	
75-09-2	dichloromethane	90-100%	
127-18-4	tetrachloroethylene	0-10%	

(Contd. on page 3)



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Mount respiratory protective device.
 Environmental precautions: Prevent from spreading (e.g. by damming-in or oil barriers). For large spills: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)

US



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

· Protective	Action Criteria for Chemicals	(Contd. of page 3)
· PAC-1:		
75-09-2	dichloromethane	200 ppm
127-18-4	tetrachloroethylene	35 ppm
· PAC-2:		
75-09-2	dichloromethane	560 ppm
127-18-4	tetrachloroethylene	230 ppm
· PAC-3:		
75-09-2	dichloromethane	6,900 ppm
127-18-4	tetrachloroethylene	1,200 ppm

7 Handling and storage

· Handling:

• Precautions for safe handling Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

·Com	ponenis win timu values that require monuoring at the workplace.
75-09	9-2 dichloromethane
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 174 mg/m³, 50 ppm BEI
127-1	18-4 tetrachloroethylene
PEL	Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 3 hrs
	(Contd. on page 5)



Reviewed on 08/14/2019 Printing date 08/14/2019 Trade name: MADCHEM® MC SPOT GONE (Contd. of page 4) *REL* Minimize workplace exp. concs.; Pocket Guide App. A TLVShort-term value: 685 mg/m³, 100 ppm Long-term value: 170 mg/m³, 25 ppm BEI · Ingredients with biological limit values: 75-09-2 dichloromethane BEI 0.3 mg/L Medium: urine Time: end of shift *Parameter: Dichloromethane (semi-quantitative)* 127-18-4 tetrachloroethylene BEI 3 ppm Medium: end-exhaled air Time: prior to shift Parameter: Tetrachloroethylene 0.5 mg/LMedium: blood *Time: prior to shift* Parameter: Tetrachloroethylene • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. *Store protective clothing separately.* Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

⁻ US



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

(Contd. of page 5)

• Penetration time of glove material The exact break through time has

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Sujery glusses

Tightly sealed goggles

9 Physical and chemical properties

Appearance:		
Form:	Fluid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	40 °C (104 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	605 °C (1,121 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	13 Vol %	
Upper:	22 Vol %	
Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)	
Density at 20 °C (68 °F):	1.37144 g/cm ³ (11.44467 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	

_____US



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

		(Contd. of page 6)
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

75-09-2 dichloromethane

Oral LD50 1,600 mg/kg (rat)

Inhalative LC50/4 h 88 mg/l (rat)

127-18-4 tetrachloroethylene

Oral LD50 2,629 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 2A.

(Contd. on page 8)

US



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

(Contd. of page 7)

· NTP (National Toxicology Program)

All components have the value R.

· OSHA-Ca (Occupational Safety & Health Administration)

75-09-2 dichloromethane

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· UN-Number	
· DOT, IMDG, IATA	UN2810
· UN proper shipping name	
DOT	Toxic, liquids, organic, n.o.s. (Dichloromethane
	Tetrachloroethylene)
· IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S. (DICHLOROMETHANI
	TETRACHLOROETHYLENE)



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

	(Contd. of page
Transport hazard class(es)	
DOT	
TOXIC	
· Class	6.1 Toxic substances
Label	6.1
IMDG, IATA	
6	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
EMS Number:	F-A,S-A
Segregation groups	Liquid halogenated hydrocarbons
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
• Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 60 L
~ ·	On cargo aircraft only: 220 L
· IMDG	
Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.
ci, mouringaanon .	(DICHLOROMETHANE, TETRACHLOROETHYLENE), 6.1, III

(Contd. on page 10)



Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

(Contd. of page 9)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- · Section 313 (Specific toxic chemical listings):
- All ingredients are listed.
- · TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

This product contains a chemical known to the state of California to cause cancer

All ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

75-09-2 dichloromethane

127-18-4 tetrachloroethylene

· Pennsylvania Right-to-Know List:

All ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

All components have the value ES.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

All components have the value L.

· TLV (Threshold Limit Value established by ACGIH)

All components have the value A3.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11)

CA, MU

CA

Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: MADCHEM® MC SPOT GONE (Contd. of page 10) · Hazard pictograms GHS07 GHS08 · Signal word Warning · Hazard-determining components of labeling: dichloromethane tetrachloroethylene · Hazard statements H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. · Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P330 Rinse mouth. P302+P352 If on skin: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P321 Specific treatment (see on this label). P314 Get medical advice/attention if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Other regulations, limitations and prohibitive regulations

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal

(Contd. on page 12)



Reviewed on 08/14/2019

Printing date 08/14/2019

Trade name: MADCHEM® MC SPOT GONE

(Contd. of page 11)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Environment protection department. · Contact: H.S.D · Date of preparation / last revision 08/14/2019 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2